TELUS Optik TV®

Self-Install Guide

TELUS

the future is friendly®

Before you get started

What you'll find in your kit:

Power supply   4K wireless digital box   Optik TV remote   2x AAA batteries   HDMI cable

Optik TV in 4K:

Please visit **telus.com/4Krequirements** for the minimum requirements to watch 4K television content. Your 4K wireless digital box will function normally for HD and SD content.

Additional support:

If you need help during installation, please visit **telus.com/selfinstall** for additional information or call **310-MYTV (6988)**.

Confirm your TV has an HDMI input and a remote:

Your kit includes an HDMI cable to connect your wireless digital box to the back of your TV. You will need the original TV manufacturer's remote to select the HDMI input you use.

Identify your T3200M modem:

You should already have a T3200M modem installed in your home. If you do not appear to have this device installed, please call **310-MYTV (6988)** for assistance.

## Insert the batteries into the Optik TV remote:

If you wish to pair this remote with your TV to control the power and volume, please visit **telus.com/programremote** for instructions.

1a Connect the power supply for the wireless digital box to an outlet. The green power light will appear on the front.

POWER NETWORK   OPTICAL   HDMI OUT   USB

1b Using the HDMI cable included in your kit, connect the wireless digital box to any available HDMI input on your TV.

1   2
HDMI IN

POWER   NETWORK   OPTICAL   HDMI OUT   USB

1c Using your TV manufacturer's remote, turn on your TV and use the input/source button to select the input used in the previous step. It may take a few minutes for the first set-up screen to appear while the box is initializing.

Select HDMI input

Step 2: Pairing with your T3200M modem

2a When the screen on the right appears, press the **OK** button on your Optik TV remote.

Optik TV®

Wireless Pairing Step 1
1 Press the OK button on your Optik TV remote.

Configurer votre décodeur sans fil
1 Appuyez sur le bouton «OK» de votre télécommande Télé OPTIK.

LINK   RECORD   optik   TELUS 4K

Press and hold for 10 seconds

2b When the screen on the right appears, press and hold the button on the front of your T3200M modem for **10 seconds** and let go. The Wi-Fi light on the modem will flash indicating that pairing is in progress. Pairing may take a few minutes.

T3200M modem

Optik TV®

Wireless Pairing Step 2
2 Identify whether you have a wireless access point (left) or Actiontec T3200M gateway (right), then press the pairing button for 10 seconds.

OR

Synchronisation en cours...
2 Identifiez si vous possédez soit un point d'accès sans fil (gauche) ou un modem Actiontec T3200M (droite). Appuyez ensuite sur le bouton de synchronisation «WPS» durant au moins 10 secondes.

2c A message will appear indicating that pairing was successful. You will notice green wireless connection bars now appear on your wireless box. You are now ready to watch TV, use your Optik TV remote to get started.

For additional support, visit telus.com/selfinstall or call 310-MYTV (6988).

Optik TV®

You're now connected!
In a few moments, you will be enjoying Optik TV.

Vous êtes maintenant connecté!
Dans quelques instants, vous pourrez profiter du service Télé OPTIK.

LINK   RECORD   POWER   TELUS 4K